





MOD		LOC		DIST		P		F		ZONE		LTR		REVISIONS		DATE	APPD
2	BD	36												D	REV PER EC 0020-736-94	07/07/94	TC
														E	REV PER EC 0020-1131-94	11/17/94	AC
														F	REV PER EC 0020-1460-94	01/06/95	TC



SOCKET CONTACT ASSY., SIZE 16 W/.023 x .023 POST, 34 REQD.
 BODY-MATL: BRASS PER MIL-C-50
 FINISH: PLATED GOLD .000030 THK PER MIL-G-45204 FOR A LENGTH OF .200 MIN. FROM MATING END OF CONTACT WITH POINT OF MEASUREMENT (SIDE 90° TO SEAM) .100 FROM MATING END OF CONTACT; .000100 MIN TIN-LEAD PER MIL-T-10727 IN WIRE BARREL AREA, BOTH OVER NICKEL .000050 THK PER QQ-N-290
 SPRING-MATL: STAINLESS STEEL PER QQ-S-766
 POST-MATL: BRASS PER ASTM-B-134
 FINISH: PLATED MATTE TIN-LEAD PER MIL-T-10727 OVER NICKEL .000050 THK PER QQ-N-290

RECOMMENDED P.C. BOARD LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN INCHES TOLERANCES ON: 2 PLC DEC \pm .010 3 PLC DEC \pm .010 ANGLES \pm -		DR 7-8-87 M.HOFFECKER	213473-1 PART NO	
CHK 7-8-87 L.LAWVER	APPD 7-10-87 R.WALTER	AMP Incorporated Harrisburg, PA 17105-3608		
MATERIAL SEE CALLOUTS	APPD 7-10-87 G.SACUNAS	NAME SOCKET CONNECTOR ASSY, M SERIES V.35, 34 POSN, LOADED		
FINISH SEE CALLOUTS	APPLICATION SPEC -	SIZE D	CAGE CODE 00779	DRAWING NO C-213473
	WEIGHT -	SCALE 2:1	SHEET 1 OF 1	